Developmental outcomes of HI: what to expect and what to do about it.

Amanda E. Bennett, MD, MPH
Developmental and Behavioral Pediatrics
The Children's Hospital of Philadelphia
August 16, 2014

Disclosures/ Who I Am

- No conflicts of interest to report
- Developmental behavioral pediatrician
 - Clinical Autism and Fragile X Syndrome, ADHD
 - Research screening measures, drug trials in ASD
- Married to Dr. Andrew Palladino

Rates of Developmental Differences

- ♦ Autism Spectrum Disorder: 1 in 68 (1.4%)
- ♦ ADHD: 7-18%
- Learning Disorders: 5% public school students
- ♦ Speech Delays: 3-9%
- Seizure Disorders: 10% single seizure, 3% epilepsy

Why get a developmental assessment?

- Early identification = early treatment
 - Developmental therapies
 - Special education services/supports
 - Special insurance benefits
 - Increased access to behavioral support services
 - Increased understanding among family, teachers, etc.

How to get a developmental assessment?

- Early Intervention
 - http://www.parentcenterhub.org/repository/ei-overview
 - Ages: birth to 3 years, sometimes through preschool
- School District
 - http://www.parentcenterhub.org/repository/schoolage
 - ♦ Ages: 3-22 years

How to get a developmental assessment?

- Developmental Pediatrician
 - ♦ Local academic center
 - Society for Developmental Behavioral Pediatrics
 - www.sdbp.org
- Neuropsychologist
 - Local academic center
 - American Academy of Clinical Neuropsychology
 - <u>www.theaacn.org/findboardcertifiedcn.aspx</u>

When to get a developmental assessment?

- ♦ After discharge from diagnostic admission (baseline)
- ♦ Any time milestones seem to be lagging
- Probably helpful at certain ages:
 - Kindergarten readiness
 - Between 1st and 3rd grades (higher chance of finding a learning disability)
- ♦ CALL EARLY! many wait lists >6-12 months

Questions?

Thank you!